Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	220	opcod\$3 near3 map\$3	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L2	121	L1 and dynamic\$4	USPAT; IBM_TDB	OR ·	OFF	2007/12/19 16:36
L3	116	L2 and instruction\$1	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L4	. 8	L1 and (dynamic\$4 near3 set\$4)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L5	8	L4 and instruction\$1	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L6	211	(dynamic\$4 near3 set\$4 near4 instruct\$4)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L7	2	L5 and encod\$3	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L8	2	L4 and encod\$3	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L9	31	L6 and ((instruction\$1 near3 map\$3) L1)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L10	17	L9 and (instruction\$1 near3 encod\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L11	11	L10 and (privilege\$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L12	0	L11 and (boot\$5 boot-up)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L13	98	(select\$8) near3 ((instruction\$1 near3 map\$3) L1)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L14	113	(dynamic\$4 near3 set\$4) and ((instruction\$1 near3 map\$3) L1)	USPAT; IBM_TDB	OR ·	OFF	2007/12/19 16:36
L15	3	L14 and L13	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L16	4837	(cycle\$1 period\$8 time\$1) near3 (boot\$5 boot-up)	USPAT; IBM_TDB	OR .	OFF	2007/12/19 16:36
L17	47	L16 and ((instruction\$1 near3 map\$3) L1)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L18	19	L17 and (instruction\$1 near6 encod\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L20	63	L2 and (instruction\$1 near3 map\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L21	111	(instruction\$1 near3 map\$3) and (dynamic\$4 near3 set\$4)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L22	. 0	L10 and (authori\$8 authentic\$9)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36

			_			
L23	2	L15 and (privilege\$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L24	33	L14 and (instruction\$1 near3 encod\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L25	19	L24 and (privilege\$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L26	18	L25 and ((determin\$7 select\$8) near3 (instruction\$1 map\$3))	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L27	. 1	L25 and (boot\$5 boot-up)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L28	18	L18 and ((determin\$7 select\$8) near3 (instruction\$1 map\$3))	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L29	1	L18 and (privilege\$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR .	OFF	2007/12/19 16:36
L30	19	L17 and (privilege\$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L31	18	L30 and (encrypt\$4 crypto\$9 algorithm\$1 encod\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L32	39	L17 and (encrypt\$4 crypto\$9 algorithm\$1 encod\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L33	18	L32 and (privilege\$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L34	11026	((713/1) or (713/2) or (713/150) or (713/152) or (713/154) or (713/165) or (713/167) or (713/182) or (713/185) or (713/185) or (713/187) or (713/189) or (713/190) or (713/193) or (709/202) or (726/1) or (726/2) or (726/6) or (726/13) or (726/19) or (726/22) or (726/27) or (726/30) or (380/37) or (380/239) or (380/255) or (380/42) or (380/29) or (711/204) or (711/206)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L35	594	L34 and (dynamic\$4 near3 (set\$4 instruct\$4 opcod\$3 code\$1))	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L36	867	L34 and (dynamic\$4 near7 (set\$4 instruct\$4 opcod\$3 code\$1))	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L37	322	L36 and (encod\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L38	74197	(instruction\$1 opcod\$3 code\$1 encod\$3) near5 (privilege\$1 permission\$1 authori\$9 access verif\$9 authentic\$6 encrypt\$5 encipher\$9 crypto\$9 certif\$9)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L39	15929	(instruction\$1 opcod\$3 code\$1 encod\$3) near5 map\$3	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:54

•			•			
L40	. 54	L37 and L39	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L41 _.	28	L40 and ((privilege\$1 permission\$1 authori\$9 access) near3 level\$1)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L42	1688	(select\$4 determin\$7 predetermin\$6 elect\$3 appoint\$3 pre-determin\$6 pre-select\$4 prestor\$3 pre-stor\$3) near6 L39	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L43	2	L40 and (serial\$1 number\$1) and (boot\$6 near4 (cycle\$1 period\$1 time\$1))	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L44	197	((serial\$1 machine\$1 device\$1 hardware\$1) near5 (id identif\$8 number\$1)) SAME ((boot booting bootup boot-up preboot\$3 pre-boot\$3 bios) near5 (time\$1 cycle\$1 period\$1))	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L45	3	L44 and L39	USPAT; IBM_TDB	OR .	OFF	2007/12/19 16:36,
L46	104	L34 and ((boot booting bootup boot-up preboot\$3 pre-boot\$3 bios) near5 cycle\$1)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:53
L47	13	L46 and L39	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L48	9	((serial\$1 machine\$1 device\$1 hardware\$1) near5 (id identif\$8 number\$1)) and L47	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L49	2	L43 and (serial\$1 number\$1) and (boot\$6 cycle\$1 period\$1 time\$1)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L50	238	L34 and L39 and L38	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L51	147	L50 and dynamic\$5	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L52	140	L51 and (privilege\$1 permission\$1 authori\$9 level\$1)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L53	61	L51 and ((privilege\$1 permission\$1 authori\$9 access) near3 level\$1)	USPAT; IBM_TDB	OR •	OFF	2007/12/19 16:36
L54	3	L52 and (serial\$1 near3 number\$1) and (boot\$6 near3 (cycle\$1 period\$1 time\$1))	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L55	1	((serial\$1 machine\$1 device\$1 hardware\$1) near3 (id identif\$8 number\$1)) with (boot\$6 near3 cycle\$1)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L56	65	((serial\$1 machine\$1 device\$1 hardware\$1) near3 (id identif\$8 number\$1)) and (boot\$6 adj3 cycle\$1)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36

					·	
L57 .	1682	((serial\$1 machine\$1 device\$1 hardware\$1) near3 (id identif\$8 number\$1)) and ((boot booting bootup boot-up preboot\$3 pre-boot\$3 bios) near3 (time\$1 cycle\$1 period\$1))	USPAT; IBM_TDB	OR	OFF .	2007/12/19 16:36
L58	1	L56 and L42	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L59	3	L57 and L42	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L60	48	((serial\$1 machine\$1 device\$1 hardware\$1) near5 (id identif\$8 number\$1)) with ((boot booting bootup boot-up preboot\$3 pre-boot\$3 bios) near5 (time\$1 cycle\$1 period\$1))	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L61	2	L39 with ((boot booting bootup boot-up preboot\$3 pre-boot\$3 bios) near5 (time\$1 cycle\$1 period\$1))	USPAT; IBM_TDB	OR .	OFF	2007/12/19 16:36
L62	1	((serial\$1 machine\$1 device\$1 hardware\$1) near5 (id identif\$8 number\$1)) and L61	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:36
L63	12	Gordon near3 mcintosh	USPAT; IBM_TDB	OR .	OFF	2007/12/19 16:48
L64	9	63 and (map\$3 remap\$3)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:51
L65	0	64 and (encrypt\$9 encipher\$9 crypto\$9 cipher\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:48
L66	434	(encrypt\$9 encipher\$9 crypto\$9 cipher\$9 algorithm\$1) near9 (boot booting bootup boot-up preboot\$3 pre-boot\$3 bios reboot\$4 re-boot\$4)	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:05
L67	14031	(instruction\$1 opcod\$3 code\$1) with (dynamic\$4 automatic\$6 concurrent\$4 immediat\$4) with (map\$3 remap\$4 re-map\$4 creat\$4 generat\$4 new)	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:07
L68	158	(instruction\$1 opcod\$3 code\$1) with (dynamic\$4 automatic\$6 concurrent\$4 immediat\$4) with (map\$3 remap\$4 re-map\$4) with (creat\$4 generat\$4 new\$2)	USPAT; IBM_TDB	OR	OFF .	2007/12/19 17:08
L69	. 0	66 and 68	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:59
L70	. 7	66 and 67	USPAT; IBM_TDB	OR	OFF	2007/12/19 16:59
L71	378	(instruction\$1 opcod\$3 code\$1) near9 (dynamic\$4 automatic\$6 concurrent\$4 immediat\$4) near9 (map\$3 remap\$4 re-map\$4)	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:16

L72	121562	(instruction\$1 opcod\$3 code\$1) near5 (creat\$4 generat\$4 new\$2)	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:08
L73	263	71 and 72	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:16
L74	2071	(encrypt\$9 encipher\$9 crypto\$9 cipher\$9 algorithm\$1) near9 (reset\$4 re-set\$4 boot booting bootup boot-up preboot\$3 pre-boot\$3 bios reboot\$4 re-boot\$4)	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:16
L75	2	73 and 74	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:08
L76	41	(((instruction\$1 opcod\$3 code\$1) near5 (creat\$4 generat\$4 new\$2)) ((instruction\$1 opcod\$3 code\$1) near8 (dynamic\$4 automatic\$6 concurrent\$4 immediat\$4))) with (map\$3 remap\$4 re-map\$4) with (encrypt\$9 encipher\$9 crypto\$9 cipher\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:15
L77	40	76 and 72	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:16
L78	19310	(instruction\$1 opcod\$3 code\$1 dynamic\$4 automatic\$6 concurrent\$4 immediat\$4) near6 (map\$3 remap\$4 re-map\$4)	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:16
L79	33	77 and 78	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:16
L80	8	79 and (reset\$4 re-set\$4 boot booting bootup boot-up preboot\$3 pre-boot\$3 bios reboot\$4 re-boot\$4)	USPAT; IBM_TDB	OR	OFF	2007/12/19 17:16